

TEMPORAL LOGIC

INTRODUCTION

Attila Molnár
Eötvös Loránd University



March 16, 2016

Introduction


McTAGGART 1908

There are two ways of speaking about time:

A-series: with singular predicates: "... is past", "... is present", "... is future" (maybe built in tenses "was", "is", "will"). Note that the truth of these sentences depends on the time of the utterance. **Local** perspective.



B-series: with ordering relations: "... comes before ...", "... comes after ...". The truth of these sentences does not depend on the time of the utterance. **Global** perspective.



Logics of tenses / Tense logics / Temporal logics: A-theories of time

Semantics of tense logics, first-order theories of orderings: B-theories of time

Temporal language

(the A-perspective)

BASIC TEMPORAL LANGUAGE

Readings:

φ :	"It is the case that φ ."
$\neg\varphi$:	"It is not the case that φ ."
$\varphi \wedge \psi$:	"Both φ and ψ are true."
$\mathbf{F}\varphi$:	"It will be the case that φ ."
$\mathbf{P}\varphi$:	"It was the case that φ ."

- Symbols:

- Atomic sentences p, q, r, \dots
- Logical symbols: $\neg, \wedge, \mathbf{F}, \mathbf{P}$
- Other symbols: $(,)$

$$At \stackrel{\text{def}}{=} \{p_i : i \in \omega\}$$

- Formulas:

$$\varphi ::= p \mid (\varphi \wedge \psi) \mid \neg\varphi \mid \mathbf{F}\varphi \mid \mathbf{P}\varphi$$

DEFINED CONNECTIVES

Abbreviations:

$\perp \stackrel{\text{def}}{\Leftrightarrow} p \wedge \neg p$	the contradiction, the false, or falsum
$\varphi \vee \psi \stackrel{\text{def}}{\Leftrightarrow} \neg(\neg\varphi \wedge \neg\psi)$	" φ or ψ (or both of them) are true."
$\top \stackrel{\text{def}}{\Leftrightarrow} p \vee \neg p$	the tautology, the true, or verum
$\varphi \rightarrow \psi \stackrel{\text{def}}{\Leftrightarrow} \neg(\varphi \wedge \neg\psi)$	"If φ is true, then so is ψ ."
$\varphi \leftrightarrow \psi \stackrel{\text{def}}{\Leftrightarrow} (\varphi \rightarrow \psi) \wedge (\psi \rightarrow \varphi)$	"It is the case that φ if and only if ψ is the case."
$\mathbf{G}\varphi \stackrel{\text{def}}{\Leftrightarrow} \neg\mathbf{F}\neg\varphi$	"It will always G oing to be the case that φ ."
$\mathbf{H}\varphi \stackrel{\text{def}}{\Leftrightarrow} \neg\mathbf{P}\neg\varphi$	"It H as always been the case that φ ."
$\mathbf{F}\varphi \stackrel{\text{def}}{\Leftrightarrow} \varphi \vee \mathbf{F}\varphi$	"It is or will be the case that φ ."
$\mathbf{P}\varphi \stackrel{\text{def}}{\Leftrightarrow} \varphi \vee \mathbf{P}\varphi$	"It is or was the case that φ ."
$\mathbf{G}\varphi \stackrel{\text{def}}{\Leftrightarrow} \varphi \wedge \mathbf{G}\varphi$	"It is and always going to be the case that φ ."
$\mathbf{H}\varphi \stackrel{\text{def}}{\Leftrightarrow} \varphi \wedge \mathbf{H}\varphi$	"It is and always has been the case that φ ."

Check (using classical logic) that $\neg\mathbf{F}\neg\varphi \iff \mathbf{G}\varphi$!

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$$

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi) \quad \text{fine}$$

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi) \quad \text{fine}$$

$$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$$

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi) \quad \text{fine}$$

$$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi) \quad \text{fine}$$

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi) \quad \text{fine}$$

$$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi) \quad \text{fine}$$

$$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$$

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$$

fine

$$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$$

fine

$$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$$

strange

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$$

fine

$$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$$

fine

$$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$$

strange

$$\mathbf{G}(\varphi \vee \psi) \leftarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$$

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	strange
$\mathbf{G}(\varphi \vee \psi) \leftarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	fine

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$$

fine

$$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$$

fine

$$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$$

strange

$$\mathbf{G}(\varphi \vee \psi) \leftarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$$

fine

$$\mathbf{F}(\varphi \vee \psi) \rightarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$$

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	strange
$\mathbf{G}(\varphi \vee \psi) \leftarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \rightarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	strange
$\mathbf{G}(\varphi \vee \psi) \leftarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \rightarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \leftarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	strange
$\mathbf{G}(\varphi \vee \psi) \leftarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \rightarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \leftarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	strange
$\mathbf{G}(\varphi \vee \psi) \leftarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \rightarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \leftarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \rightarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	strange
$\mathbf{G}(\varphi \vee \psi) \leftarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \rightarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \leftarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \rightarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	fine

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	strange
$\mathbf{G}(\varphi \vee \psi) \leftarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \rightarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \leftarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \rightarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \leftarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	strange
$\mathbf{G}(\varphi \vee \psi) \leftarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \rightarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \leftarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \rightarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \leftarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	strange

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	strange
$\mathbf{G}(\varphi \vee \psi) \leftarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \rightarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \leftarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \rightarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \leftarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	strange
(K) $\mathbf{G}(\varphi \rightarrow \psi) \rightarrow (\mathbf{G}\varphi \rightarrow \mathbf{G}\psi)$	

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	strange
$\mathbf{G}(\varphi \vee \psi) \leftarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \rightarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \leftarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \rightarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \leftarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	strange
(K) $\mathbf{G}(\varphi \rightarrow \psi) \rightarrow (\mathbf{G}\varphi \rightarrow \mathbf{G}\psi)$	fine

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	strange
$\mathbf{G}(\varphi \vee \psi) \leftarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \rightarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \leftarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \rightarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \leftarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	strange
(K) $\mathbf{G}(\varphi \rightarrow \psi) \rightarrow (\mathbf{G}\varphi \rightarrow \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \rightarrow \psi) \leftarrow (\mathbf{G}\varphi \rightarrow \mathbf{G}\psi)$	

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	strange
$\mathbf{G}(\varphi \vee \psi) \leftarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \rightarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \leftarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \rightarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \leftarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	strange
(K) $\mathbf{G}(\varphi \rightarrow \psi) \rightarrow (\mathbf{G}\varphi \rightarrow \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \rightarrow \psi) \leftarrow (\mathbf{G}\varphi \rightarrow \mathbf{G}\psi)$	strange

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	strange
$\mathbf{G}(\varphi \vee \psi) \leftarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \rightarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \leftarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \rightarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \leftarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	strange
(K) $\mathbf{G}(\varphi \rightarrow \psi) \rightarrow (\mathbf{G}\varphi \rightarrow \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \rightarrow \psi) \leftarrow (\mathbf{G}\varphi \rightarrow \mathbf{G}\psi)$	strange

Memorization Trick: If **F** and \vee are **weak**, **G** and \wedge are **strong**, then

“weak likes the weak, and strong likes the strong”

$$\begin{aligned} & \mathbf{G}(\varphi \wedge \psi) \leftrightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi) \\ \text{(A2)} \quad & \mathbf{F}(\varphi \vee \psi) \leftrightarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi) \end{aligned}$$

INTERPLAY OF TENSE AND LOGIC

Which one of the followings sounds true?

$\mathbf{G}(\varphi \wedge \psi) \rightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \wedge \psi) \leftarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \vee \psi) \rightarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	strange
$\mathbf{G}(\varphi \vee \psi) \leftarrow (\mathbf{G}\varphi \vee \mathbf{G}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \rightarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \vee \psi) \leftarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \rightarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	fine
$\mathbf{F}(\varphi \wedge \psi) \leftarrow (\mathbf{F}\varphi \wedge \mathbf{F}\psi)$	strange
(K) $\mathbf{G}(\varphi \rightarrow \psi) \rightarrow (\mathbf{G}\varphi \rightarrow \mathbf{G}\psi)$	fine
$\mathbf{G}(\varphi \rightarrow \psi) \leftarrow (\mathbf{G}\varphi \rightarrow \mathbf{G}\psi)$	strange

Memorization Trick: If **F** and \vee are **weak**, **G** and \wedge are **strong**, then

“weak likes the weak, and strong likes the strong”

$$\mathbf{G}(\varphi \wedge \psi) \leftrightarrow (\mathbf{G}\varphi \wedge \mathbf{G}\psi)$$

$$(A2) \quad \mathbf{F}(\varphi \vee \psi) \leftrightarrow (\mathbf{F}\varphi \vee \mathbf{F}\psi)$$

And “WeakStrong \rightarrow StrongWeak”: $\mathbf{F}\varphi \wedge \psi \rightarrow \varphi \wedge \mathbf{F}\psi$, and $\varphi \vee \mathbf{G}\psi \rightarrow \mathbf{G}\varphi \vee \psi$

That is quite usual in logic: $\exists x \forall y xRy \rightarrow \forall y \exists x xRy$ but not vice versa.

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)

$$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$$

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)

$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$

strange

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)

$$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$$

(G)

$$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$$

strange

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)

$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$

strange

(G)

$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$

fine

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)

$$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$$

strange

(G)

$$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$$

fine

(B)

$$\varphi \rightarrow \mathbf{GF}\varphi$$

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)

$$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$$

strange

(G)

$$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$$

fine

(B)

$$\varphi \rightarrow \mathbf{GF}\varphi$$

strange

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)

$$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$$

strange

(G)

$$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$$

fine

(B)

$$\varphi \rightarrow \mathbf{GF}\varphi$$

strange

(T)

$$\mathbf{G}\varphi \rightarrow \varphi$$

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)

$$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$$

strange

(G)

$$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$$

fine

(B)

$$\varphi \rightarrow \mathbf{GF}\varphi$$

strange

(T)

$$\mathbf{G}\varphi \rightarrow \varphi$$

strange

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)

$$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$$

strange

(G)

$$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$$

fine

(B)

$$\varphi \rightarrow \mathbf{GF}\varphi$$

strange

(T)

$$\mathbf{G}\varphi \rightarrow \varphi$$

strange

$$\underline{\mathbf{G}}\varphi \rightarrow \varphi$$

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)

$$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$$

strange

(G)

$$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$$

fine

(B)

$$\varphi \rightarrow \mathbf{GF}\varphi$$

strange

(T)

$$\mathbf{G}\varphi \rightarrow \varphi$$

strange

$$\underline{\mathbf{G}}\varphi \rightarrow \varphi$$

trivial

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)

$$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$$

strange

(G)

$$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$$

fine

(B)

$$\varphi \rightarrow \mathbf{GF}\varphi$$

strange

(T)

$$\mathbf{G}\varphi \rightarrow \varphi$$

strange

$$\underline{\mathbf{G}}\varphi \rightarrow \varphi$$

trivial

(4)

$$\mathbf{FF}\varphi \rightarrow \mathbf{F}\varphi$$

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)	$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$	strange
(G)	$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$	fine
(B)	$\varphi \rightarrow \mathbf{GF}\varphi$	strange
(T)	$\mathbf{G}\varphi \rightarrow \varphi$	strange
	$\underline{\mathbf{G}}\varphi \rightarrow \varphi$	trivial
(4)	$\mathbf{FF}\varphi \rightarrow \mathbf{F}\varphi$	fine

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)	$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$	strange
(G)	$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$	fine
(B)	$\varphi \rightarrow \mathbf{GF}\varphi$	strange
(T)	$\mathbf{G}\varphi \rightarrow \varphi$	strange
	$\underline{\mathbf{G}}\varphi \rightarrow \varphi$	trivial
(4)	$\mathbf{FF}\varphi \rightarrow \mathbf{F}\varphi$	fine
(Den)	$\mathbf{F}\varphi \rightarrow \mathbf{FF}\varphi$	

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)	$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$	strange
(G)	$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$	fine
(B)	$\varphi \rightarrow \mathbf{GF}\varphi$	strange
(T)	$\mathbf{G}\varphi \rightarrow \varphi$	strange
	$\underline{\mathbf{G}}\varphi \rightarrow \varphi$	trivial
(4)	$\mathbf{FF}\varphi \rightarrow \mathbf{F}\varphi$	fine
(Den)	$\mathbf{F}\varphi \rightarrow \mathbf{FF}\varphi$	fine

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)	$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$	strange
(G)	$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$	fine
(B)	$\varphi \rightarrow \mathbf{GF}\varphi$	strange
(T)	$\mathbf{G}\varphi \rightarrow \varphi$	strange
	$\underline{\mathbf{G}}\varphi \rightarrow \varphi$	trivial
(4)	$\mathbf{FF}\varphi \rightarrow \mathbf{F}\varphi$	fine
(Den)	$\mathbf{F}\varphi \rightarrow \mathbf{FF}\varphi$	fine
(E)	$\mathbf{F}\varphi \rightarrow \mathbf{GF}\varphi$	

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)	$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$	strange
(G)	$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$	fine
(B)	$\varphi \rightarrow \mathbf{GF}\varphi$	strange
(T)	$\mathbf{G}\varphi \rightarrow \varphi$	strange
	$\underline{\mathbf{G}}\varphi \rightarrow \varphi$	trivial
(4)	$\mathbf{FF}\varphi \rightarrow \mathbf{F}\varphi$	fine
(Den)	$\mathbf{F}\varphi \rightarrow \mathbf{FF}\varphi$	fine
(E)	$\mathbf{F}\varphi \rightarrow \mathbf{GF}\varphi$	strange

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)	$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$	strange
(G)	$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$	fine
(B)	$\varphi \rightarrow \mathbf{GF}\varphi$	strange
(T)	$\mathbf{G}\varphi \rightarrow \varphi$	strange
	$\underline{\mathbf{G}}\varphi \rightarrow \varphi$	trivial
(4)	$\mathbf{FF}\varphi \rightarrow \mathbf{F}\varphi$	fine
(Den)	$\mathbf{F}\varphi \rightarrow \mathbf{FF}\varphi$	fine
(E)	$\mathbf{F}\varphi \rightarrow \mathbf{GF}\varphi$	strange
(C) _F	$\varphi \rightarrow \mathbf{HF}\varphi$	

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)	$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$	strange
(G)	$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$	fine
(B)	$\varphi \rightarrow \mathbf{GF}\varphi$	strange
(T)	$\mathbf{G}\varphi \rightarrow \varphi$	strange
	$\underline{\mathbf{G}}\varphi \rightarrow \varphi$	trivial
(4)	$\mathbf{FF}\varphi \rightarrow \mathbf{F}\varphi$	fine
(Den)	$\mathbf{F}\varphi \rightarrow \mathbf{FF}\varphi$	fine
(E)	$\mathbf{F}\varphi \rightarrow \mathbf{GF}\varphi$	strange
(C) _F	$\varphi \rightarrow \mathbf{HF}\varphi$	fine

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)	$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$	strange
(G)	$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$	fine
(B)	$\varphi \rightarrow \mathbf{GF}\varphi$	strange
(T)	$\mathbf{G}\varphi \rightarrow \varphi$	strange
	$\underline{\mathbf{G}}\varphi \rightarrow \varphi$	trivial
(4)	$\mathbf{FF}\varphi \rightarrow \mathbf{F}\varphi$	fine
(Den)	$\mathbf{F}\varphi \rightarrow \mathbf{FF}\varphi$	fine
(E)	$\mathbf{F}\varphi \rightarrow \mathbf{GF}\varphi$	strange
(C) _F	$\varphi \rightarrow \mathbf{HF}\varphi$	fine
(C) _P	$\varphi \rightarrow \mathbf{GP}\varphi$	

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)	$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$	strange
(G)	$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$	fine
(B)	$\varphi \rightarrow \mathbf{GF}\varphi$	strange
(T)	$\mathbf{G}\varphi \rightarrow \varphi$	strange
	$\underline{\mathbf{G}}\varphi \rightarrow \varphi$	trivial
(4)	$\mathbf{FF}\varphi \rightarrow \mathbf{F}\varphi$	fine
(Den)	$\mathbf{F}\varphi \rightarrow \mathbf{FF}\varphi$	fine
(E)	$\mathbf{F}\varphi \rightarrow \mathbf{GF}\varphi$	strange
(C) _F	$\varphi \rightarrow \mathbf{HF}\varphi$	fine
(C) _P	$\varphi \rightarrow \mathbf{GP}\varphi$	fine

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)	$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$	strange
(G)	$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$	fine
(B)	$\varphi \rightarrow \mathbf{GF}\varphi$	strange
(T)	$\mathbf{G}\varphi \rightarrow \varphi$	strange
	$\underline{\mathbf{G}}\varphi \rightarrow \varphi$	trivial
(4)	$\mathbf{FF}\varphi \rightarrow \mathbf{F}\varphi$	fine
(Den)	$\mathbf{F}\varphi \rightarrow \mathbf{FF}\varphi$	fine
(E)	$\mathbf{F}\varphi \rightarrow \mathbf{GF}\varphi$	strange
(C) _F	$\varphi \rightarrow \mathbf{HF}\varphi$	fine
(C) _P	$\varphi \rightarrow \mathbf{GP}\varphi$	fine
(D) _F	$\mathbf{G}\varphi \rightarrow \mathbf{F}\varphi$	

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)	$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$	strange
(G)	$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$	fine
(B)	$\varphi \rightarrow \mathbf{GF}\varphi$	strange
(T)	$\mathbf{G}\varphi \rightarrow \varphi$	strange
	$\underline{\mathbf{G}}\varphi \rightarrow \varphi$	trivial
(4)	$\mathbf{FF}\varphi \rightarrow \mathbf{F}\varphi$	fine
(Den)	$\mathbf{F}\varphi \rightarrow \mathbf{FF}\varphi$	fine
(E)	$\mathbf{F}\varphi \rightarrow \mathbf{GF}\varphi$	strange
(C) _F	$\varphi \rightarrow \mathbf{HF}\varphi$	fine
(C) _P	$\varphi \rightarrow \mathbf{GP}\varphi$	fine
(D) _F	$\mathbf{G}\varphi \rightarrow \mathbf{F}\varphi$	fine

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)	$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$	strange
(G)	$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$	fine
(B)	$\varphi \rightarrow \mathbf{GF}\varphi$	strange
(T)	$\mathbf{G}\varphi \rightarrow \varphi$	strange
	$\underline{\mathbf{G}}\varphi \rightarrow \varphi$	trivial
(4)	$\mathbf{FF}\varphi \rightarrow \mathbf{F}\varphi$	fine
(Den)	$\mathbf{F}\varphi \rightarrow \mathbf{FF}\varphi$	fine
(E)	$\mathbf{F}\varphi \rightarrow \mathbf{GF}\varphi$	strange
(C) _F	$\varphi \rightarrow \mathbf{HF}\varphi$	fine
(C) _P	$\varphi \rightarrow \mathbf{GP}\varphi$	fine
(D) _F	$\mathbf{G}\varphi \rightarrow \mathbf{F}\varphi$	fine
(H) _F	$(\mathbf{F}\varphi \wedge \mathbf{F}\psi) \rightarrow (\mathbf{F}(\mathbf{F}\varphi \wedge \psi) \vee \mathbf{F}(\varphi \wedge \mathbf{F}\psi) \vee \mathbf{F}(\varphi \wedge \psi))$	

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)	$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$	strange
(G)	$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$	fine
(B)	$\varphi \rightarrow \mathbf{GF}\varphi$	strange
(T)	$\mathbf{G}\varphi \rightarrow \varphi$	strange
	$\underline{\mathbf{G}}\varphi \rightarrow \varphi$	trivial
(4)	$\mathbf{FF}\varphi \rightarrow \mathbf{F}\varphi$	fine
(Den)	$\mathbf{F}\varphi \rightarrow \mathbf{FF}\varphi$	fine
(E)	$\mathbf{F}\varphi \rightarrow \mathbf{GF}\varphi$	strange
(C) _F	$\varphi \rightarrow \mathbf{HF}\varphi$	fine
(C) _P	$\varphi \rightarrow \mathbf{GP}\varphi$	fine
(D) _F	$\mathbf{G}\varphi \rightarrow \mathbf{F}\varphi$	fine
(H) _F	$(\mathbf{F}\varphi \wedge \mathbf{F}\psi) \rightarrow (\mathbf{F}(\mathbf{F}\varphi \wedge \psi) \vee \mathbf{F}(\varphi \wedge \mathbf{F}\psi) \vee \mathbf{F}(\varphi \wedge \psi))$	fine

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)	$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$	strange
(G)	$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$	fine
(B)	$\varphi \rightarrow \mathbf{GF}\varphi$	strange
(T)	$\mathbf{G}\varphi \rightarrow \varphi$	strange
	$\underline{\mathbf{G}}\varphi \rightarrow \varphi$	trivial
(4)	$\mathbf{FF}\varphi \rightarrow \mathbf{F}\varphi$	fine
(Den)	$\mathbf{F}\varphi \rightarrow \mathbf{FF}\varphi$	fine
(E)	$\mathbf{F}\varphi \rightarrow \mathbf{GF}\varphi$	strange
(C) _F	$\varphi \rightarrow \mathbf{HF}\varphi$	fine
(C) _P	$\varphi \rightarrow \mathbf{GP}\varphi$	fine
(D) _F	$\mathbf{G}\varphi \rightarrow \mathbf{F}\varphi$	fine
(H) _F	$(\mathbf{F}\varphi \wedge \mathbf{F}\psi) \rightarrow (\mathbf{F}(\mathbf{F}\varphi \wedge \psi) \vee \mathbf{F}(\varphi \wedge \mathbf{F}\psi) \vee \mathbf{F}(\varphi \wedge \psi))$	fine
(.3) _F	$\mathbf{G}(\underline{\mathbf{G}}\varphi \rightarrow \psi) \vee \mathbf{G}(\underline{\mathbf{G}}\psi \rightarrow \varphi)$	

INTERPLAY OF TENSE AND TENSE

Which one of the followings sounds true?

(M)	$\mathbf{GF}\varphi \rightarrow \mathbf{FG}\varphi$	strange
(G)	$\mathbf{FG}\varphi \rightarrow \mathbf{GF}\varphi$	fine
(B)	$\varphi \rightarrow \mathbf{GF}\varphi$	strange
(T)	$\mathbf{G}\varphi \rightarrow \varphi$	strange
	$\mathbf{G}\varphi \rightarrow \varphi$	trivial
(4)	$\mathbf{FF}\varphi \rightarrow \mathbf{F}\varphi$	fine
(Den)	$\mathbf{F}\varphi \rightarrow \mathbf{FF}\varphi$	fine
(E)	$\mathbf{F}\varphi \rightarrow \mathbf{GF}\varphi$	strange
(C) _F	$\varphi \rightarrow \mathbf{HF}\varphi$	fine
(C) _P	$\varphi \rightarrow \mathbf{GP}\varphi$	fine
(D) _F	$\mathbf{G}\varphi \rightarrow \mathbf{F}\varphi$	fine
(H) _F	$(\mathbf{F}\varphi \wedge \mathbf{F}\psi) \rightarrow (\mathbf{F}(\mathbf{F}\varphi \wedge \psi) \vee \mathbf{F}(\varphi \wedge \mathbf{F}\psi) \vee \mathbf{F}(\varphi \wedge \psi))$	fine
(.3) _F	$\mathbf{G}(\mathbf{G}\varphi \rightarrow \psi) \vee \mathbf{G}(\mathbf{G}\psi \rightarrow \varphi)$?

It's time to use precise semantics instead of "sense the Truth behind".

Semantics

(The B-perspective)

FRAMES AND MODELS

A **frame** is a pair $\langle W, R \rangle$, where

- W is not empty, its elements are called **worlds** or **moments** and
- R is a binary relation on W , sometimes called **alternative** or **accessibility** relation.

If wRv , then
we say that
“ w sees v ” or
“ v is seen by w ”.

A **strict partial ordering (SPO)** is a **frame** $\langle T, < \rangle$, where $<$ is

- irreflexive: $\forall w \neg w < w$
- transitive: $\forall w, v, u ((w < v \wedge v < u) \rightarrow w < u)$

A SPO $\langle T, < \rangle$ is **treelike** or **is a forest** if

- there is no branching to the past:
 $\forall w, v, u ((w < u \wedge v < u) \rightarrow (w < v \vee w = v \vee w > v))$

$$w \leq v \stackrel{\text{def}}{\iff} w < v \vee w = v$$

A **tree** is a treelike SPO $\langle T, < \rangle$ where

- every two different element has a ‘root’:
 $\forall w, v (w \neq v \rightarrow \exists u (u \leq w \wedge u \leq v))$

A **flow of time** or **strict total order (STO)** is a SPO $\langle T, < \rangle$, where

- $<$ is trichotomic: $\forall w, v (w < v \vee w = v \vee w > v)$

FRAMES AND MODELS

A **frame** is a pair $\langle W, R \rangle$, where

- W is not empty, its elements are called **worlds** or **moments** and
- R is a binary relation on W , sometimes called **alternative** or **accessibility** relation.

If wRv , then
we say that
“ w sees v ” or
“ v is seen by w ”.

A **strict partial ordering (SPO)** is a **frame** $\langle T, < \rangle$, where $<$ is

- irreflexive: $\forall w \neg w < w$
- transitive: $\forall w, v, u ((w < v \wedge v < u) \rightarrow w < u)$

Show that every SPO
is asymmetric, i.e.,
 $\forall w, v (w < v \rightarrow \neg w > v)$

A SPO $\langle T, < \rangle$ is **treelike** or **is a forest** if

- there is no branching to the past:
 $\forall w, v, u ((w < u \wedge v < u) \rightarrow (w < v \vee w = v \vee w > v))$

$$w \leq v \stackrel{\text{def}}{\iff} w < v \vee w = v$$

A **tree** is a treelike SPO $\langle T, < \rangle$ where

- every two different element has a ‘root’:
 $\forall w, v (w \neq v \rightarrow \exists u (u \leq w \wedge u \leq v))$

In which structure
is it true that
 $\forall w, v (w \leq v \leftrightarrow \neg w > v)$?

A **flow of time** or **strict total order (STO)** is a SPO $\langle T, < \rangle$, where

- $<$ is trichotomic: $\forall w, v (w < v \vee w = v \vee w > v)$

Show that every
flow of time is
a) treelike
b) is a tree

FRAMES AND MODELS

A **frame** is a pair $\langle W, R \rangle$, where

- W is not empty, its elements are called **worlds** or **moments**
- R is a binary relation on W , sometimes called an **alternative** or **accessibility** relation.

A **strict partial ordering (SPO)** is a frame $\langle T, < \rangle$, where

- irreflexive: $\forall w \neg w < w$
- transitive: $\forall w, v, u ((w < v \wedge v < u) \rightarrow w < u)$

A SPO $\langle T, < \rangle$ is **treelike** or is a **flow of time** if

- there is no branching to the past.

$$\forall w, v ((w < v \wedge w < u \wedge v < u) \rightarrow (w < v \vee w = v \vee w > v))$$

A **tree** is a treelike SPO $\langle T, < \rangle$ where

- every two different element has a 'root':
 $\forall w, v (w \neq v \rightarrow \exists u (u \leq w \wedge u \leq v))$

A **flow of time** or **strict total order (STO)** is a SPO $\langle T, < \rangle$, where

- $<$ is trichotomic: $\forall w, v (w < v \vee w = v \vee w > v)$

If wRv , then
we say that
 w sees v or
" v is seen by w ".

Show that every SPO
is asymmetric, i.e.,
 $\forall w, v (w < v \rightarrow \neg w > v)$

$$w \leq v \stackrel{\text{def}}{\iff} w < v \vee w = v$$

In which structure
is it true that
 $\forall w, v (w \leq v \leftrightarrow \neg w > v)$?

Show that every
flow of time is
a) treelike
b) is a tree

The easiest way to solve the homeworks,
is to draw a lot first!!

CLOSURES

The **reflexive closure** R^r of a relation R is the smallest reflexive relation that contains it, i.e.,

- wR^rv whenever wRv ,
- R^r is reflexive: $\forall w \ wRw$
- Whenever a relation Q has these two property above, it can not have less arrows than R^r , i.e. wR^rv implies wQv .

CLOSURES

The **reflexive closure** R^r of a relation R is the smallest reflexive relation that contains it, i.e.,

- wR^rv whenever wRv ,
- R^r is reflexive: $\forall w \ wRw$
- Whenever a relation Q has these two property above, it can not have less arrows than R^r , i.e. wR^rv implies wQv .

Show that for arbitrary $<$,
 \leq is the reflexive closure of $<$.

CLOSURES

The **reflexive closure** R^r of a relation R is the smallest reflexive relation that contains it, i.e.,

- wR^rv whenever wRv ,
- R^r is reflexive: $\forall w \ wRw$
- Whenever a relation Q has these two property above, it can not have less arrows than R^r , i.e. wR^rv implies wQv .

Show that for arbitrary $<$,
 \leq is the reflexive closure of $<$.

The **transitive closure** of a relation R is the smallest transitive relation R^t that contains it, i.e.,

- wR^tv whenever wRv ,
- R^t is transitive,
- Whenever a relation Q has these three property above, wR^tv implies wQv .

CLOSURES

The **reflexive closure** R^r of a relation R is the smallest reflexive relation that contains it, i.e.,

- wR^rv whenever wRv ,
- R^r is reflexive: $\forall w \ wRw$
- Whenever a relation Q has these two property above, **it can not have less arrows than R^r** , i.e. wR^rv implies wQv .

Show that for arbitrary $<$,
 \leq is the reflexive closure of $<$.

The **transitive closure** of a relation R is the smallest transitive relation R^t that contains it, i.e.,

- wR^tv whenever wRv ,
- R^t is transitive,
- Whenever a relation Q has these three property above, wR^tv implies wQv .

Is it true, that if $\langle W, R \rangle$ is irreflexive,
then $\langle W, R^t \rangle$ is a SPO?

CLOSURES

The **reflexive closure** R^r of a relation R is the smallest reflexive relation that contains it, i.e.,

- wR^rv whenever wRv ,
- R^r is reflexive: $\forall w \ wRw$
- Whenever a relation Q has these two property above, **it can not have less arrows than R^r** , i.e. wR^rv implies wQv .

Show that for arbitrary $<$,
 \leq is the reflexive closure of $<$.

The **transitive closure** of a relation R is the smallest transitive relation R^t that contains it, i.e.,

- wR^tv whenever wRv ,
- R^t is transitive,
- Whenever a relation Q has these three property above, wR^tv implies wQv .

Is it true, that if $\langle W, R \rangle$ is irreflexive,
then $\langle W, R^t \rangle$ is a SPO?

The **reflexive transitive symmetric closure** of a relation R is the smallest reflexive, transitive and symmetric relation R^{rts} that contains it, i.e.,

- $wR^{rts}v$ whenever wRv ,
- R^{rts} is reflexive,
- R^{rts} is transitive,
- R^{rts} is symmetric: $\forall w, v (wR^{rts}v \rightarrow vR^{rts}w)$
- Whenever a relation Q has these four property above, $wR^{rts}v$ implies wQv .

CLOSURES

The **reflexive closure** R^r of a relation R is the smallest reflexive relation that contains it, i.e.,

- wR^rv whenever wRv ,
- R^r is reflexive: $\forall w \ wRw$
- Whenever a relation Q has these two property above, **it can not have less arrows than R^r** , i.e. wR^rv implies wQv .

Show that for arbitrary $<$,
 \leq is the reflexive closure of $<$.

The **transitive closure** of a relation R is the smallest transitive relation R^t that contains it, i.e.,

- wR^tv whenever wRv ,
- R^t is transitive,
- Whenever a relation Q has these three property above, wR^tv implies wQv .

Is it true, that if $\langle W, R \rangle$ is irreflexive,
 then $\langle W, R^t \rangle$ is a SPO?

The **reflexive transitive symmetric closure** of a relation R is the smallest reflexive, transitive and symmetric relation R^{rts} that contains it, i.e.,

- $wR^{rts}v$ whenever wRv ,
- R^{rts} is reflexive,
- R^{rts} is transitive,
- R^{rts} is symmetric: $\forall w, v (wR^{rts}v \rightarrow vR^{rts}w)$
- Whenever a relation Q has these four property above, $wR^{rts}v$ implies wQv .

A **frame** $\langle W, R \rangle$ is **connected** iff $\forall w \forall v \ wR^{rts}v$

CLOSURES

The **reflexive closure** R^r of a relation R is the smallest reflexive relation that contains it, i.e.,

- wR^rv whenever wRv ,
- R^r is reflexive: $\forall w \ wRw$
- Whenever a relation Q has these two property above, **it can not have less arrows than R^r** , i.e. wR^rv implies wQv .

Show that for arbitrary $<$,
 \leq is the reflexive closure of $<$.

The **transitive closure** of a relation R is the smallest transitive relation R^t that contains it, i.e.,

- wR^tv whenever wRv ,
- R^t is transitive,
- Whenever a relation Q has these three property above, wR^tv implies wQv .

Is it true, that if $\langle W, R \rangle$ is irreflexive,
 then $\langle W, R^t \rangle$ is a SPO?

The **reflexive transitive symmetric closure** of a relation R is the smallest reflexive, transitive and symmetric relation R^{rts} that contains it, i.e.,

- $wR^{rts}v$ whenever wRv ,
- R^{rts} is reflexive,
- R^{rts} is transitive,
- R^{rts} is symmetric: $\forall w, v (wR^{rts}v \rightarrow vR^{rts}w)$
- Whenever a relation Q has these four property above, $wR^{rts}v$ implies wQv .

Show that
 a) all trees are connected,
 b) not all treelike SPO's are connected.

A **frame** $\langle W, R \rangle$ is **connected** iff $\forall w \forall v \ wR^{rts}v$

MODELS

We'll use frames to determine the meaning of the formulas. To establish the connection, what we need is an **interpretation** or **evaluation** V .

The job of V is to tell for every formula φ , whether it is true or not in a given moment of a frame or not. So this will be a function which assigns a truth value 0 or 1 to every formula p and moment $w \in W$, i.e.,

$$V : \text{At} \times W \rightarrow \{0, 1\}.$$

Another perspective is the following: Let the job of V be to tell for every formula φ , what is the set of worlds in which it is true, i.e.,

$$V : \text{At} \rightarrow \mathcal{P}(W).$$

Hereby we have the (first step for a) mathematical representation of that connection between the syntax (At), and the semantics ($\langle W, R \rangle$).

According to the latter then, $w \in V(p)$ will represent the fact that p is true at w with respect to $\langle W, R \rangle$ and V . We will abbreviate this by

$$W, R, V, w \models p.$$

To simplify the notation, we will call the frame+interpretation pairs **models**.

MODELS

A **model** \mathfrak{M} is a pair $\langle \mathfrak{F}, V \rangle$ where

- \mathfrak{F} is a frame $\mathfrak{F} = \langle W, R \rangle$,
- V is an evaluation $V : \text{At} \rightarrow \mathcal{P}(W)$.

We define the **satisfaction** or **local truth** relation in the following way:

$$\begin{array}{ll}
 \mathfrak{M}, w \models p & \stackrel{\text{def}}{\iff} w \in V(p) \\
 \mathfrak{M}, w \models \neg \varphi & \stackrel{\text{def}}{\iff} \text{it is not true that } \mathfrak{M}, w \models \varphi \\
 \mathfrak{M}, w \models \varphi \wedge \psi & \stackrel{\text{def}}{\iff} \mathfrak{M}, w \models \varphi \text{ and } \mathfrak{M}, w \models \psi \\
 \mathfrak{M}, w \models \mathbf{F}\varphi & \stackrel{\text{def}}{\iff} \exists v (w < v \wedge \mathfrak{M}, v \models \varphi) \\
 \mathfrak{M}, w \models \mathbf{P}\varphi & \stackrel{\text{def}}{\iff} \exists v (v < w \wedge \mathfrak{M}, v \models \varphi)
 \end{array}$$

We define the **global truth** or just simply the **truth** relation based on the local truth:

$$\mathfrak{M} \models \varphi \iff \forall w \mathfrak{M}, w \models \varphi$$

And the most important: we say that φ is valid of \mathfrak{F} iff it is true *no matter what are the meanings of its atomic particles*:

$$\mathfrak{F} \models \varphi \iff \forall V \mathfrak{F}, V \models \varphi$$

Why is the latter so important? Because only the structure matters here. So by investigating validities, we will be able to investigate the structure of time, while we keep the local perspective of the modal language.

MODELS

A **model** \mathfrak{M} is a pair $\langle \mathfrak{F}, V \rangle$ where

- \mathfrak{F} is a frame $\mathfrak{F} = \langle W, R \rangle$,
- V is an evaluation $V : At \rightarrow \mathcal{P}(W)$.

Give a countermodel

- a) for every formula what we labelled 'strange', such that
- b) for some formula what we labelled 'fine'.

(i.e., give a model in which the formula in question is not true
(i.e., false in some world of it))

We define the **satisfaction** or **local truth** relation in the following way:

$\mathfrak{M}, w \models p$	$\stackrel{\text{def}}{\iff}$	$w \in V(p)$
$\mathfrak{M}, w \models \neg \varphi$	$\stackrel{\text{def}}{\iff}$	it is not true that $\mathfrak{M}, w \models \varphi$
$\mathfrak{M}, w \models \varphi \wedge \psi$	$\stackrel{\text{def}}{\iff}$	$\mathfrak{M}, w \models \varphi$ and $\mathfrak{M}, w \models \psi$
$\mathfrak{M}, w \models \mathbf{F}\varphi$	$\stackrel{\text{def}}{\iff}$	$\exists v (w < v \wedge \mathfrak{M}, v \models \varphi)$
$\mathfrak{M}, w \models \mathbf{P}\varphi$	$\stackrel{\text{def}}{\iff}$	$\exists v (v < w \wedge \mathfrak{M}, v \models \varphi)$

We define the **global truth** or just simply the **truth** relation based on the local truth:

$$\mathfrak{M} \models \varphi \iff \forall w \mathfrak{M}, w \models \varphi$$

And the most important: we say that φ is valid of \mathfrak{F} iff it is true *no matter what are the meanings of its atomic particles*:

$$\mathfrak{F} \models \varphi \iff \forall V \mathfrak{F}, V \models \varphi$$

Why is the latter so important? Because only the structure matters here. So by investigating validities, we will be able to investigate the structure of time, while we keep the local perspective of the modal language.

B LANGUAGE

Every temporal model \mathfrak{M} can be viewed as a classical first-order model:

$$\begin{array}{lll}
 \mathfrak{M} & = & \langle W, R, V \rangle \\
 \simeq & \langle W, R, V(p), V(q), \dots \rangle_{p,q,\dots \in \text{At}} & \text{“unpack” } V \\
 \rightsquigarrow & \langle W, I(R), V(p), V(q), \dots \rangle_{p,q,\dots \in \text{At}} & \text{consider } R \text{ as a meaning of an } R \\
 & & R \in \text{Pred}^2 \\
 \rightsquigarrow & \langle W, I(R), I(P), I(Q), \dots \rangle_{P,Q,\dots \in \text{Pred}^1} & \text{consider At as monadic predicates} \\
 & & R \in \text{Pred}^2 \\
 \simeq & \langle W, I \rangle & \text{“pack” } I
 \end{array}$$

So the corresponding (object linguistic!) FOL language is

- Symbols:
 - Monadic predicates: P, Q, R, \dots
 - Binary predicates: R
 - Variables: w, v, u, \dots
 - Logical symbols: $\neg, \wedge, =, \exists$,
 - Other symbols: $(,)$
- Formulas:

$$\varphi ::= w = v \mid P(w) \mid wRv \mid \neg\varphi \mid (\varphi \wedge \psi) \mid \exists w\varphi$$

STANDARD TRANSLATION

$$\begin{aligned}
 ST_x(p) &\stackrel{\text{def}}{=} P(x) \\
 ST_x(\neg\varphi) &\stackrel{\text{def}}{=} \neg ST_x(\varphi) \\
 ST_x(\varphi \wedge \psi) &\stackrel{\text{def}}{=} ST_x(\varphi) \wedge ST_x(\psi) \\
 ST_x(\mathbf{F}\varphi) &\stackrel{\text{def}}{=} \exists v(xRv \wedge ST_v(\varphi)) \quad \text{where } v \text{ is a fresh variable} \\
 ST_x(\mathbf{P}\varphi) &\stackrel{\text{def}}{=} \exists v(vR\mathbf{A}x \wedge ST_v(\varphi)) \quad \text{where } v \text{ is a fresh variable}
 \end{aligned}$$

Homeworks:

$$\begin{aligned}
 \underline{\text{THEOREM}} : \quad \mathfrak{M}, w \models \varphi &\iff \mathfrak{M} \models ST_x(\varphi) \quad [\sigma[x \mapsto w]] \\
 \underline{\text{COROLLARY}} : \quad \mathfrak{M} \models \varphi &\iff \mathfrak{M} \models \forall x ST_x(\varphi) \\
 \underline{\text{COROLLARY}} : \quad \mathfrak{F} \models \varphi &\iff \mathfrak{M} \models \forall P \forall Q \dots \forall x ST_x(\varphi)
 \end{aligned}$$

The last is in Second Order Logic!!!! I.e., in frame semantics we quantify over subsets of W ! SOL is a powerful language, but it has a tons of disadvantages, just some of them: Truths of formulas depends on that which ZFC model are we in, it can articulate non-logical statements, what is more, ZFC-independent statements like continuum hypothesis, no completeness theorem, no compactness, etc.

But, the fragment corresponding to TL is free from all of these, while it can maintain some of SOL's power. And sometime second order statements defined by TL are just equivalent to FOL statements...

FOL ABBREVIATIONS

Of course, we always omit the outermost brackets.

$$\begin{array}{ll}
 \forall x\varphi & \stackrel{\text{def}}{\Leftrightarrow} \neg\exists x\neg\varphi \\
 \forall xy\varphi & \stackrel{\text{def}}{\Leftrightarrow} \forall x\forall y\varphi \\
 \forall xyz\varphi & \stackrel{\text{def}}{\Leftrightarrow} \forall x\forall y\forall z\varphi \\
 & \vdots \\
 (\forall x \in \varphi)\psi & \stackrel{\text{def}}{\Leftrightarrow} \forall x(\varphi(x) \rightarrow \psi)
 \end{array}
 \qquad
 \begin{array}{ll}
 \forall x,y\varphi & \stackrel{\text{def}}{\Leftrightarrow} \forall x\forall y\varphi \\
 \forall x,y,z\varphi & \stackrel{\text{def}}{\Leftrightarrow} \forall x\forall y\forall z\varphi \\
 & \vdots \\
 (\exists x \in \varphi)\psi & \stackrel{\text{def}}{\Leftrightarrow} \exists x(\varphi(x) \wedge \psi)
 \end{array}$$

And a full stop after a logical symbol means an opening bracket whose scope is the longest as possible (i.e., ends before the first closing bracket), e.g.

$$\exists x.\varphi \rightarrow \psi \iff \exists x(\varphi \rightarrow \psi)$$

Or the 3rd Frege-Hilbert axiom

$$(\varphi \rightarrow (\psi \rightarrow \chi)) \rightarrow ((\varphi \rightarrow \psi) \rightarrow (\varphi \rightarrow \chi))$$

can be written up as

$$(\varphi \rightarrow .\psi \rightarrow \chi) \rightarrow .(\varphi \rightarrow \psi) \rightarrow (\varphi \rightarrow \chi)$$

$$(\varphi \rightarrow .\psi \rightarrow \chi) \rightarrow .(\varphi \rightarrow \psi) \rightarrow .\varphi \rightarrow \chi$$

A-B Correspondences (modal definability)

Difficulty	Name	TL formula	FOL formula	Name
Easy	T	$\Box\varphi \rightarrow \varphi$	$\forall w wRw$	reflexive
Easy	4	$\Box\varphi \rightarrow \Box\Box\varphi$	$\forall wvu. wRvRu \rightarrow wRu$	transitive
Normal	Den	$\Box\Box\varphi \rightarrow \Box\varphi$	$\forall wv. wRu \rightarrow (\exists v)wRvRu$	dense
Easy	B	$\varphi \rightarrow \Box\Diamond\varphi$	$\forall wv. wRv \rightarrow vRw$	symmetric
Normal	E	$\Diamond\varphi \rightarrow \Box\Diamond\varphi$	$\forall wv. u\mathcal{A}wRv \rightarrow vRu$	euclidean
Normal	G	$\Diamond\Box\varphi \rightarrow \Box\Diamond\varphi$	$\forall wvu. v\mathcal{A}wRu \rightarrow (\exists u')(vRu'\mathcal{A}u)$	convergent
Normal	.3	$\Diamond\varphi \wedge \Diamond\psi \rightarrow$ $(\Diamond(\varphi \wedge \Diamond\psi) \vee$ $\Diamond(\varphi \wedge \psi) \vee$ $\Diamond(\Diamond\varphi \wedge \psi))$	$\forall wvu. v\mathcal{A}wRu \rightarrow (vRu \vee v\mathcal{A}u \vee u = v)$	no branching to the right
Hard	.3	$\Box(\Box\varphi \rightarrow \psi) \vee$ $\Box(\Box\psi \rightarrow \varphi)$	$\forall wvu. v\mathcal{A}wRu \rightarrow (vRu \vee v\mathcal{A}u \vee u = v)$	no branching to the right
Easy	D	$\Box\varphi \rightarrow \Diamond\varphi$	$\forall w\exists v wRv$	serial
Easy	D⁺	$\Box(\Box\varphi \rightarrow \varphi)$	$\forall wv. wRv \rightarrow vRv$	secondary reflexive
Beautiful	GL	$\Box(\Box\varphi \rightarrow \varphi) \rightarrow \Box\varphi$	$\forall wvu(wRvRu \rightarrow wRu) \wedge$ $\neg\exists P(\forall w \in P)(\exists v\mathcal{A}w)P(v)$	Noetherian SPO
Beautiful	Grz	$\Box(\Box(\varphi \rightarrow \Box\varphi) \rightarrow$ $\rightarrow \varphi) \rightarrow \varphi$	$\forall w wRw \wedge$ $\forall wvu (wRvRu \rightarrow wRu) \wedge$ $\neg\exists P(\forall w \in P)(\exists v\mathcal{A}w)(w \neq v \wedge P(v))$	reflexive Noetherian partial ordering
Easy	V	$\Box\varphi$	$\forall wv \neg wRv$	empty
Easy	Tr	$\varphi \rightarrow \Box\varphi$	$\forall wv. wRv \rightarrow w = v$	diagonal
Normal	1.1	$\Diamond\varphi \rightarrow \Box\varphi$	$\forall wvu. v\mathcal{A}wRu \rightarrow v = u$	partial function
Normal	ijkl	$\Diamond^i\Box^j\varphi \rightarrow \Box^k\Diamond^l\varphi$	$\forall wvu. v\mathcal{A}^i wR^k u \rightarrow (\exists u')(vR^j u'\mathcal{A}^l u)$	ijkl-convergent